# Certificate of Conformity CoC

**Eurofins CERTIFEL CoC**

(Type testing certification scheme)

Certificate number  C6M22007-0023-93999

| | |
|---|---|
| Product | Underfloor drive |
| Applicant | agtatec AG<br>Allmendstrasse 24, 8320 Fehraltorf<br>Switzerland |
| Manufacturer | agtatec AG<br>Allmendstrasse 24, 8320 Fehraltorf<br>Switzerland |
| Manufactured at/Factory | agtatec ag<br>Allmendstrasse 24, 8320 Fehraltorf<br>Switzerland |
| Trademark | record |
| Type/Model | C 127 X SU H-B CW-1 OFFSET<br>C 127 X SU H-B CCW-1 OFFSET<br>C 127 X SU H-B CW-2 OFFSET<br>C 127 X SU H-B CCW-2 OFFSET |
| Ratings, characteristics | IP68, IP69<br>100-240 VAC, 50-60 Hz, 67 W |
| Standards | EN 60529:1991+A1:2000+A2:2013 |
| Additional information | See page 2 |

| | |
|---|---|
| EC-Directives<br>Commission regulations | 2014/35/EU |
| Swiss regulations | SR 734.26 NEV |

The products submitted by the applicant was type tested in accordance with the requirements of the mentioned standards. Eurofins certifies the conformity of the product with the standards. Presumption of conformity with the mentioned European directives and Swiss regulations can be assumed. Assurance of conformity during production will be in responsibility of the manufacturer. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product presented for testing and certification. This certificate has been issued under the presumption and conditional on the fact that the manufacturer fulfils the requirements written in the EU directives and Swiss regulations.

Results of testing are shown in report number:  20CH-00110.U02, 20CH-00111.U02

**Eurofins Electric & Electronic Product Testing AG**
**Swiss Certification Body**

Martin Plüss
Product Certification

www.eurofins.ch  Fehraltorf, 2020-07-20  Page 1 of 2

T51_V01

# eurofins | E&E

**Annex to certificate**

**Eurofins CERTIFEL CoC**

Certificate number   C6M22007-0023-93999

Additional information
Test durations:
IP6X dynamic test 24h, static test 8h         result: no dust ingress
IPX8 dynamic test 24h, static test 3h         result: no water ingress
IPX9 dynamic test 3min, static test 3min      result: no water ingress